



AIRCOLOR PLASTIC PRIMER

H38

VERSION: 180528
Page:1/2

ADHESION PRIMER

DEFINITION

AIRCOLOR PLASTIC PRIMER is applied directly as a primer and has excellent adhesion on all plastic exterior and interior parts, including bumpers, mirrors and other plastic parts. Topcoat can be applied after approximately 10 minutes air dry at 20°C

PHYSICAL CHARACTERISTICS



Propellant:	BP
Colour:	Colourless
Specific weight:	0,8 kg/l a 20°C
Yield:	2 m ² /spray
Dry film thickness:	4 µ/coat
Resistance of the container to heat:	< 50 °C
VOC:	738 g/l Application 2004/42/EC - IIB (e)(840)

SURFACE PREPARATION

PROCESS			Plastics (*)
	ROBRITE VF DA93		✓

(*) PP, PP/EPDM, ABS, SAN, PC, PA, PUR-RIM, R-TPU, PPO, PBT, PUR flexible foam, UP-GF plastics


APPLICATION

			
2'	20-25 cm	1 coat	10'

REMARKS

Shake the aerosol before use for 2 minutes after hearing the steel mixing balls move. Carry out test spray.

EQUIPMENT CLEANING



SAFETY

Follow instructions on the product label. For more information check the Safety Data Sheet. Compliant with the National Statutory Regulation for Health and Safety at Work and Waste Disposal.

STORAGE

Store the product in a ventilated place far from direct exposure to sunlight. Keep between +5°C and +30°C.

SHELF LIFE

One year in unopened original packaging.

For any technical information contact with our Customer Attention Service or our Technical. Department. ROBERLO SA declines any responsibility due to an incorrect use of the product.

FIXING




BUMPER PLAST 30


**CLEANING
DEGREASING
DA93**

Working Time 30"
Fixture Time 1 - 2'

REPAIR





BUMPER PLAST 30 FAST


BUMPER PLAST 90


CLEANING
SANDING P80 / P150
 Gova Energy / Gova II Gova Film

DEGREASING DA93

SANDING P150 / P220
 Gova Energy / Gova II Gova Film

**CLEANING
DEGREASING
DA93**

MULTIPLAST

65158 Anthracite

SANDING P180 / P320
 Gova Energy / Gova II Gova Film

**CLEANING
DEGREASING
DA93**

BUMPER COLOR 1L
 61159 White
 61160 Grey
 61161 Anthracite
 61162 Black

AIRCOLOR BUMPER 400 ml
 61437 Anthracite
 61438 Black
 64724 Renault 205 139

PRIMER PLAST 1L
 65168 Transparent

AIRCOLOR PLASTIC PRIMER 400 ml
 64724 Transparent

2K Primer Filler**
 Top Coat
 Clear Coat