

Version 1.0	MSDS Number: F64613	Revision Date: 25.11.2016
SECTION 1: Identification of	the substance/mixture and o	f the company/undertaking
1.1 Product identifier		
Trade name	: ROBERCAR C900	
1.2 Relevant identified uses of t	he substance or mixture and us	es advised against
Use of the Sub- stance/Mixture	: High cut liquid compound	
Recommended restrictions on use	: For use in industrial installati only.	ons or professional treatment
1.3 Details of the supplier of the	e safety data sheet	
Company	: Roberlo s.a. Ctra. Nacional II, Km. 706,5 17457 Riudellots de la Selva Spain	
Telephone	: +34972478060	
Telefax	: +34972477394	
E-mail address of person responsible for the SDS	: msds@roberlo.com	

1.4 Emergency telephone number

+34 972 478060 (8:00-12:45 / 14:15-17:30 h) ROBERLO (Spain) (GMT + 1:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)		
Eye irritation, Category 2	H319: Causes serious eye irritation.	

Classification (67/548/EEC, 1999/45/EC) Irritant

R36: Irritating to eyes.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Version 1.0	MSDS Number: F64613	Revision Date: 25.11.2016
Hazard pictograms		
Signal word	: Warning	
Hazard statements	: H319 Causes	serious eye irritation.
Supplemental Hazard Statements	: EUH066 Repeate ness or c	d exposure may cause skin dry- cracking.
Precautionary statements	eye prote P264 Wash sk Response: P305 + P351 + P338 IF II ter for se	otective gloves/ protective clothing/ ection/ face protection. in thoroughly after handling. N EYES: Rinse cautiously with wa- everal minutes. Remove contact
	P337 + P313 If eye irri attention	tation persists: Get medical advice/

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Aluminum oxide	1344-28-1 215-691-6 01- 2119529248-35	Not classified	Not classified	>= 25 - <= 50
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Not Assigned 918-481-9 01- 2119457273-39	Xn; R65	Asp. Tox. 1; H304	>= 10 - < 20
Alcohols, C16-18, ethoxylated	68439-49-6 500-212-8	Xi; R41 N; R50	Eye Dam. 1; H318 Aquatic Acute 1;	>= 2.5 - < 3



Version 1.0 MSDS Number: F64613		Revision Date: 25.11.2016		
		Xn; R22	H400 Acute Tox. 4; H302	
Glycerol	56-81-5 500-212-8 01- 2119471987-18	Not classified	Not classified	>= 0.1 - <= 2.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.
If inhaled	: Remove person to fresh air. If signs/symptoms continue, get medical attention.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	 Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	 Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir-
		cumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		



Version 1.0	MSDS Number: F64613	Revision Date: 25.11.2016
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-	contained breathing apparatus.
Further information	: Standard procedure for chem	nical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Remove all sources of ignition.
	Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions	:	No special environmental precautions required.
---------------------------	---	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Wipe up with absorbent material (e.g. cloth, fleece).
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For contact information in case of emergency, see section 1. For information on safe handling, see section 7. For exposure controls and personal protection measures, see section 8. For subsequent waste disposal, follow the recommendations in section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe har	•	or personal protection see section 8.
Advice on protectic fire and explosion	on against : No	ormal measures for preventive fire protection.
Hygiene measures	: Ge	eneral industrial hygiene practice.
7.2 Conditions for safe	e storage, includi	ng any incompatibilities
Requirements for s areas and containe	-	eep container tightly closed in a dry and well-ventilated ace.
Advice on commor	n storage : No	o special restrictions on storage with other products.
Other data	: No	decomposition if stored and applied as directed.
7.3 Specific end use(s Specific use(s)		r the use of this product do not exist particular recommen-



Version 1.0

MSDS Number: F64613

Revision Date: 25.11.2016

dations apart from that already indicated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
	1344-28-1		10 mg/m3	GB EH40
Aluminum oxide Further information	of exposure)GB EH401344-28-1TWA (Inhalable)10 mg/m3GB EH40For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust, The 			
Aluminum oxide	1344-28-1	TWA (Respirable)	4 mg/m3	GB EH40
Further information	For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and ex- posure to these must comply with the appropriate limit., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of air- borne material that enters the nose and mouth during breathing and is there- fore available for deposition in the respiratory tract. Respirable dust approxi-			



Version 1.0	MSDS Numbe	er: F64613	Revision Date: 25.11.2016
	mates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used		
8.2 Exposure controls			
Personal protectiv	equipment		
Eye protection	: Safety glas	Ses	
Hand protection			
Remarks	: For prolone	jed or repeated cor	ntact use protective gloves.
Skin and body prote	ction : Protective	suit	
Respiratory protection	on : No persona quired.	al respiratory prote	ctive equipment normally re-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: white
Odour	: characteristic
рН	: 8 - 10
Melting point/range	: not determined
Boiling point/boiling range	: >100 °C
Flash point	: >100 °C
Vapour pressure	: not determined
Density	: 1.45 g/cm3 (20 °C)
Solubility(ies) Water solubility	: partly miscible
Viscosity Viscosity, kinematic	: > 20.5 mm2/s (40 °C)



ROBERCAR C900		
Version 1.0	MSDS Number: F64613	Revision Date: 25.11.2016
9.2 Other information		
No data available		
SECTION 10: Stability and re	activity	
10.1 Reactivity		
Stable under recommended s	storage conditions.	
10.2 Chemical stability		
No decomposition if stored a	nd applied as directed.	
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: No hazards to be specially n	nentioned.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	products	
Hazardous decomposition products	: No hazardous decompositio	n products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:	: Acute toxicity estimate : > 2,000 mg/kg
Acute oral toxicity	Method: Calculation method
Components:	alkanes, isoalkanes, cyclics, < 2% aromatics:
Hydrocarbons, C10-C13, n-a	: LD50 Oral (Rat): > 5,000 mg/kg
Acute oral toxicity	Method: OECD Test Guideline 401
Acute dermal toxicity	: LD50 (Rabbit): > 3,000 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Remarks: Based on available data, the classification criteria are not met.



Version 1.0

MSDS Number: F64613

Revision Date: 25.11.2016

Serious eye damage/eye irritation

Product:

Remarks: Severe eye irritation

Respiratory or skin sensitisation

Product:

Remarks: Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

Germ cell mutagenicity- As- : Based on available data, the classification criteria are not met. sessment

Carcinogenicity

Product:

Carcinogenicity - Assess-	:	Based on available data, the classification criteria are not met.
ment		

Reproductive toxicity

Product:

Reproductive toxicity - As-	:	Based on available data, the classification criteria are not met.
sessment		

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Based on available data, the classification criteria are not met.

Further information

Product: Remarks: No data available



Version 1.0

MSDS Number: F64613

Revision Date: 25.11.2016

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological infor-	: There is no data available for this product.
mation	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	: Empty remaining contents. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good



Version 1.0

MSDS Number: F64613

Revision Date: 25.11.2016

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds : 12.30 %

15.2 Chemical Safety Assessment

Not applicable

SECTION 16: Other information

Full text of R-Phrases

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
R22	Harmful if swallowed.

Full text of H-Statements

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific mate-



Version 1.0

MSDS Number: F64613

Revision Date: 25.11.2016

rial designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.